REMINDER

Drawing changes may also require changes in the specification, e.g., if Fig. 1 is changed to Fig 1A, Fig. 1B, Fig.1C, etc., the specification, at the Brief Description of the Drawing, must likewise be changed. Please make such changes by 37 CFR 1.312 Amendment at the time of submitting drawings.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Drawings - 37 CFR 1.85

File new drawings with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. The drawing should be filed as a separate paper with a transmittal letter addressed to the Drawing Reveiw Branch.

2. Timing for Corrections

Applicant is required to submit acceptable corrected drawings within the three-month shortened statutory period set in the Notice of Allowability (PTOL-37).


HITE IN HEATTERN STATES

Failure to take corrective action within set period will result in ABANDONMENT of the Application.

3. Corrections other than Defects Noted by the Drawing Review Branch on the Form PTO-948

All changes to the drawings, other than defects noted by the Drawing Review Branch, MUST be approved by the examiner before the application will be allowed. No changes will be permitted other than correction of defects, unless the examiner has approved the proposed changes.

M thod and syst m for a gen ric m tadata-based m chanism to migrat relational data between databases






FIG. 1B (PRIOR ART)

U.S. S riandumb r 09/717,818 Atty. D cket # AUS9-2 -0552-U G rg et al. M thod and system for a generic metadata-bas d m chanism to migrate r lational data b tw en databases

3/7

AUTHOR_ID (PI	() NAME	URL	DESCRIPTION					
7.0171011_15 (1.1	ty TOWIC	- OIL	DESCRIPTION					
ADAM APON	ADAMS, JOHN	HTTP://	"This author received an IEEE"					
APON	APONE, KEVIN	HTTP://	"After spending ten years in"					
•	•	•	•					
•	•	•	•					
•	•	•	•					
AUTH_TABLE 410								
110								
400 <	400							
7								
	ISBN (PK)	AUTHOR_ID (F	PK) SEQ_NO					
	0-08-882-111-4	ADAM	1					
	0-07-456-432-1	APON	4					
		•						
	. !	•						
(•	•	•					
BOOK_AUTH_TABLE 420								
BOOK_AUTH_TABLE 420								
\								

ISBN (PK)	TITLE	PUBLISHER_ID	URL	PRICE 27.95 15.00
0-08-882-111-4 0-07-456-432-1	BEYOND THE ARTIC GUIDE TO JAVA	00989 01432	HTTP:// HTTP://	
•	•	•	•	•
•		•		•
•	•	•	•	•
BOOK_TA	ABLE 430			

FIG. 4

M thod and system for a generic m tadata-bas d m chanism to migrat relational data b tw n databases

4/7




FIG. 5A

U.S. Seri mber 09/717,818 Atty. D ck t # AUS9-2 0552-US1
Ge rge et al.

M th d and system for a generic m tadata-based m chanism to migrate relational data b tw n databas s




FIG. 5B

Method and system f r a g neric m tadata-based mechanism to migrat relational data betw n databas s

6/7

```
<Table name="AUTH_TABLE" numattributes="4">
                         <PrimaryKey>
                          <Field name="AUTHOR_ID" pos="1">
                                <Type> VARCHAR2 </Type>
                                <Nullable> FALSE </Nullable>
                                <Length> 20 </Length>
                           </Field>
FIG. 6A
                         </PrimaryKey>
                         <Field name="NAME" pos="2">
                               <Type> VARCHAR2 </Type>
                               <Nullable> FALSE </Nullable>
                               <Length> 40 </Length>
             610
                          </Field>
                          <Field name="URL" pos="3">
                               <Type> VARCHAR2 </Type>
                               <Nullable> FALSE </Nullable>
                               <Length> 1024 </Length>
                          </Field>
                          <Field name="DESCRIPTION" pos="4">
                               <Type> VARCHAR2 </Type>
                               <Nullable> FALSE </Nullable>
                               <Length> 512 </Length>
                        </Table>
```

```
<MappingRecord TargetTablename="T_AUTH_TABLE" >
           <SourceTableName> AUTH TABLE 
           <Field position="1">
              <TargetFieldName type= "String"> T_AUTHOR_ID </TargetFieldName>
              <SourceFieldName> AUTHOR_ID </sourceFieldName>
              <Truncatable> NO </Truncatable>
           </Field>
           <Field position="2">
              <TargetFieldName type= "String"> T_AUTHOR_NAME </TargetFieldName>
              <SourceFieldName> NAME </SourceFieldName>
              <Truncatable> NO </Truncatable>
           </Field>
           <Field position="3">
              <TargetFieldName type= "String"> T_URL </ClassField>
620
              <SourceFieldName> URL </SourceFieldName>
              <Truncatable> NO </Truncatable>
           </Field>
           <Field position="4">
              <TargetFieldName type= "String"> T_DESCRIPTION </TargetFieldName>
              <SourceFieldName> DESCRIPTION 
              <Truncatable> YES </Truncatable>
           </Field>
           <Field position="5" default="Unknown">
              <TargetFieldName type= "String"> T_LOCATION </TargetFieldName>
              <SourceFieldName></SourceFieldName>
           </Field>
         </MappingRecord>
```

Meth d and syst m f r a generic metadata-bas d m chanism t migrate r lati nal data between databas s

7/7

T_AUTHOR_ID	T_AUTHOR_NAME	T_URL	T_DESCRIPTION	T_LOCATION		
				·		
AUTH TABLE 630						

FIG. 6C

```
<Table Name="AUTH_TABLE">
       <PrimaryKey>
              <Field name="AUTHOR_ID" type="VARCHAR2"></Field>
       </PrimaryKey>
       <Dependent Name="BOOK_AUTH_TABLE">
              <ForeignKey>
                      <a href="#">Attribute position="1">
                             <Parent>AUTHOR_ID</Parent>
                             <Child>AUTHOR_ID</Child>
                      </Attibute>
              </ForeignKey>
       </Dependent>
</Table>
<Table Name="BOOK_AUTH_TABLE">
       <PrimaryKey>
               <Field name="ISBN" type="VARCHAR2"></Field>
       </PrimaryKey>
       <Dependent Name="BOOK_TABLE">
               <ForeignKey>
                      <a href="#">Attribute position="1">
                             <Parent>ISBN</Parent>
                             <Child>ISBN</Child>
                      </Attibute>
               </ForeignKey>
       </Dependent>
</Table>
<Table Name="BOOK_TABLE">
       <PrimaryKey>
               <Field name="ISBN" type="VARCHAR2"></Field>
       </PrimaryKey>
</Table>
```

FIG. 6D